

Formulation	Care Us	Test Method	Organism	Contact Time	Efficacy (%)
	Virus	EN 14476	Modified vaccina virus Ankara (MVA)	5 min (c)	> 99.99
		ASTM E1053	H1N1 (Influenza A)	5 min (c)	> 99.99
Spores	EN 13704	<i>Bacillus subtilis</i>	60 min (c)	> 99.9	

Formulation	Care Us	Test Method	Organism	Contact Time	Criteria
	Bacteria	EN 13727	<i>Staphylococcus aureus</i>	60 s (c)	Pass (R = > 5.07)
		EN 13727	<i>Klebsiella pneumoniae</i>	60 s (c)	Pass (R = > 5.13)
		EN 13727	<i>Escherichia coli</i>	60 s (c)	Pass (R = >5.16)
		EN 13727	<i>Enterococcus hirae</i>	60 s (c)	Pass (R = > 5.37)
		EN 13727	<i>Pseudomonas aeruginosa</i>	60 s (c)	Pass (R = > 5.41)
	Yeast	EN 13624	<i>Candida albicans</i>	60 s (c)	Pass (R = > 4.23)
	Spores	EN 13624	<i>Aspergillus niger</i>	60 s (c)	Pass (R = > 4.06)

(c) Clean conditions

Care Us	Test Method	Organism	Contact Time	Criteria	
Formulation	EN 13697	<i>Staphylococcus aureus</i>	60 s (c)	Pass (R = > 6.45)	
	EN 13697	<i>Klebsiella pneumoniae</i>	60 s (c)	Pass (R = > 6.33)	
	Bacteria	EN 13697	<i>Escherichia coli</i>	60 s (c)	Pass (R = > 6.44)
	EN 13697	<i>Enterococcus hirae</i>	60 s (c)	Pass (R = > 6.45)	
	EN 13697	<i>Pseudomonas aeruginosa</i>	60 s (c)	Pass (R = > 6.27)	
	Yeast	EN 13697	<i>Candida albicans</i>	60 s (c)	Pass (R = > 5.18)
	Spores	EN 13697	<i>Aspergillus niger</i>	60 s (c)	Pass (R = > 5.31)

(c) Clean conditions

Residual effect demonstrated after application over the surfaces

	Care Us	Test Method	Organism	Time After Application	Efficacy (%)
Porous Surface	Bacteria	ISO 20743	<i>Staphylococcus aureus</i>	7 days	> 99.999
		ISO 20743	<i>Klebsiella pneumoniae</i>	7 days	> 99.999
		ISO 20743	<i>Escherichia coli</i>	7 days	> 99.999
	Yeast	ISO 13629:2	<i>Candida albicans</i>	7 days	> 99.99
	Virus	ISO 18184	Modified vaccina virus Ankara (MVA)	48 h	> 99.99
	Spores	ISO 13629:2	<i>Aspergillus niger</i>	48 h	> 99.9
Non-porous Surface	Bacteria	ISO 22196	<i>Staphylococcus aureus</i>	48 h	> 99.999
		ISO 22196	<i>Klebsiella pneumoniae</i>	7 days	> 99.999
		ISO 22196	<i>Escherichia coli</i>	24 h	> 99.999
	Yeast	ISO 22196	<i>Candida albicans</i>	7 days	> 99.99